

1) List the intercepts of $y = 2x^3 - 16$

Set x=0 to find y-intercept \rightarrow y = -16 \rightarrow point (0,-16)

Set y=0 to find x-intercept $\rightarrow 0=2x^3-16$

Calculator for cube root: 3 $2^{nd} \wedge 8 = 2$ 2x³ = 16 divide by 2 first x³ = 8 take cube root of 8 x = 2 (2,0)

2) The function $f(x) = x^2$ is decreasing on the interval (- ∞ ,0)

Decreases on the left $y = x^2$ A parabola $(-\infty, 0)$ $(0, \infty)$ Left side interval Right side interval



f(x) = x

Given the x-coordinates, determine the y-coordinates of the three points on the graph.

x	у	
0	0	f(0) = 0
1	1	f(1) = 1
2	2	f(2) = 2

(Simplify your answers. Type integers or decimals.)

Plot two of the three points and a line is formed



7



8) Graph the function. Be sure to label three points on the graph.

 $f(x) = x^2$

Given the x-coordinates, determine the y-coordinates of the three points on the graph.

Plot all three points from left to right





Graph the function. Be sure to label three points on the graph.

 $f(x) = x^3$





10) Graph the function. Be sure to label three points on the graph.

 $f(x) = \sqrt{x} \quad \text{all x values have to be positive} \rightarrow \underbrace{(x, y) = \sqrt{x}}_{C, C}$ Choose the correct graph below. $A \quad O B \quad O C \quad O C$

11) Graph the function. Be sure to label three points on the graph.

$$f(x) = \frac{1}{x}$$

Choose the correct graph below.



12) Graph the function. Be sure to label three points on the graph.

f(x) = |x|



- **13)** Graph the function. Be sure to label three points on the graph.
 - $f(x) = \sqrt[3]{x}$





14) Graph y = f(x) by hand by first plotting points to determine the shape of the graph.

f(x) = -3

Use the graphing tool to graph the equation.

Plot -3 on y-axis and any other point to the right or left





16) The graph of the linear function f(x) = b is a(n) horizontal line.

The graph of the linear function y = b is a horizontal line, with y-intercept b and slope 0.

17) The function $f(x) = x^2$ is decreasing on $(-\infty, 0)$.

Choose the correct answer below.

- A. False, because the function f(x) = x² is increasing on (-∞,0), decreasing on (0,∞), and f(0) = 0 is a relative minimum of f.
- \bigcirc B. True, because the function f(x) = x² is a decreasing function on (∞, ∞).
- C. True, because the function f(x) = x² is decreasing on (-∞,0), increasing on (0,∞), and f(0) = 0 is a relative minimum of f.

minimum

Decreasing on left



 $f(x) = x^2$ $(-\infty,0)$ $(0,\infty)$

Left side interval Right side interval

+ 18) Use the graph of the function to find the following. f(-1)= -1 What is the domain? A. All real numbers O B. {x | -10 ≤ x ≤ 10} ○ C. {x | -∞ < x ≤ 0}</p> \bigcirc D. {X | $0 \le X \le \infty$ } Find all x-values such that f(x) = 2. x= 2 (Use a comma to separate answers as needed.) What is the range? ○ A. {y | - 10 < y ≤ 10}</p> B. All real numbers



Use the graph to find the following.
a) f(3)
b) the domain
c) any x-values for which f(x) = 2
d) the range

f(3) = 2

What is the domain? Select the correct choice below and, if necessary, fill in the answer box(es) to complete your choice.

E. The domain is all real numbers.

For what x-value(s) is f(x) = 2? Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

X = 3,7 give the two x values on the green line y = 2 crosses f(x) (Use a comma to separate answers as needed.)

What is the range? Select the correct choice below and, if necessary, fill in the answer box(es) to complete your choice.

O {y | y≥ 0}

- 20) Use the graph of the function f shown to the right to find f(2), f(3), and f(4).
 - f(2) = 5 give the y-value when x=2
 - f(3) = 8 give the y-value when x=3
 - f(4) = 7 give the y-value when x=4



